

LogiLink_®

Pro Full HD USB Webcam with Microphone

Art. No.: UA0371





Video Calls Anytime & Anywhere

Full HD video at 30 frames per second provides true-to-life clarity; enjoy a great time with your family and friends.

Plug-and-Play through USB Connection

Supports USB Video Device Class (UVC); making it easy to get it up and running.



360° Field of View

360° rotation and 60° tilt to show your best side on every video call, wherever you are.











or mount on your own tripod.





All-Around Platform Compatibility

Compatible with Windows, Mac OS, Linux, and Chrome OS; works with Skype, Google Meet, FaceTime, Facebook Messenger, and many other popular software.







Specification:

Image Sensor	1/2.8" 2.0 M, (OS02K10)
View Angle	60°
Focus Mode	Manual focus
f/N	f/2.4
Focal Length	1.5 cm~∞
Microphone	Stereo digital microphone
Gimbal Base	360° rotation left/right and 30° tilt forward/backward
Cable Length	1.5 m
Power Supply	DC 5 V through USB 2.0 type-A
Encoding Format	JPEG/MJPEG
Still Picture Resolution	1920x1080, 1280x720, 640x480, 2.0 M pixel
Video Resolution	1920x1080@30 fps, 1280x720@30 fps, 640x480@30 fps
System Requirement	2.4 GHz Intel Core2 Duo 13 processor or higher, 4 GB memory or higher for storing recorded video
Operation System	Windows 7/8/10/11, Mac OS 10.6, Linux 2.6.24, Chrome OS, XBox One, Android 5.0, Ubuntu Linux 10.04 or above
Conference Applications	Facebook, Google Meet, OBS, Skype, Teams, Twitch, Xbox One, Xsplit, Youtube, Zoom
Features	Auto Exposure (AE) Auto While Balance (AWB) Auto Flicker Correction Color Correction Gamma Correction Dark Level Compensation Auto Edge Enhancement Automatic frame rate adjustment when exposure in low light environments
Tripod Screw Hole Size	Support 1/4" thread tripod
Housing Material	ABS
Color	Black
Operating Temperature	0–60 °C
Operating Humidity	30-60 % RH (non-condensing)
Dimensions	8.7 x 7 x 5.6 cm (including base)
Weight	107 g
-	

Package Contents:

- » 1 x Pro Full HD USB Webcam
- » 1 x User Manual

Package Information:

» Packing Dimension: 149 x 111 x 65 mm

» Packing Weight: 0.184 kg

» Carton Dimension: 465 x 313 x 356 mm

» Carton Q'ty: 40 pcs» Carton Weight: 8 kg





