



-Contrarrosca Reducción M-M
-Hexagonal Reducer Nipple M-M

CODG / CODE	A	B	C	D	E	F	G	H	I
314334	1/8"	1/4"	2.5	6	Ø6.5	15.5	7	8	E/C 13.9
314331	1/8"	3/8"	3	8	Ø6	20	10	11	E/C 16.9
314441	1/4"	3/8"	3	8.5	Ø8	20	8.5	9	E/C 18.9
314244	1/4"	1/2"	4.5	8.5	Ø8.5	23	10	12.5	E/C 21.8
314102	3/8"	1/2"	4.5	8.5	Ø12	24	11	13.5	E/C 21.8
314122	3/8"	1/2"	3.5	8	Ø12.5	21	9.5	11	E/C 21.8
314203	1/2"	3/4"	4.5	11.5	Ø15.5	27.75	11.75	14.5	E/C 26.9
314204	1/2"	1"	5.5	10	Ø15.5	28	12.5	15.5	E/C 33.8
314304	3/4"	1"	5.5	11	Ø21	29	12.5	15.5	E/C 33.8
314305	3/4"	1"-1/4	6.5	11	Ø20.5	32	14.5	18	E/C 44.9
314405	1"	1"-1/4	6.5	12.5	Ø26	34	15	18	E/C 44.9
314306	3/4"	1"-1/2	6.5	11	Ø20.5	33	16	19.5	E/C 49.9
314406	1"	1"-1/2	6.5	12.5	Ø26	35	16	19.5	E/C 49.9
314506	1"-1/4	1"-1/2	6.5	15	Ø34	37.5	16	19.5	E/C 49.9
314307	3/4"	2"	7	11	Ø20.5	35.5	17.5	21	E/C 63.9
314407	1"	2"	7	12.5	Ø25.5	37	17.5	21	E/C 63.9
314507	1"-1/4	2"	7	15	Ø34	39.5	17.5	21	E/C 63.9
314607	1"-1/2	2"	7	16	Ø39	40.5	17.5	21	E/C 63.9
314708	2"	2"-1/2	8	17.5	Ø51	45.5	20	24	E/C 75.9
314709	2"	3"	10	17.5	Ø51	49.5	22	27.5	E/C 93.9
314809	2"-1/2	3"	10	20	Ø66.5	52	22	27.5	E/C 93.9
317900	3"	4"	12	22	Ø78	58	24	30	E/C 119.9

(Medidas orientativas sin valor contractual)

(Indicative measures without contractual value)

Dimensiones según EN 1254-4

Dimensions according EN 1254-4

Material: CW617N

Raw material: CW617N

PN 16

NP 16

Temp. Max: 90°C

Max. Temp: 90°C

Dpto. Técnico y Calidad
Technical department & quality
Sr. Marc Rodríguez