

3M Construction & Home Improvement Markets

Product Information Sheet

Issue : December 2021
Supersedes: New

3M CLAW™ Drywall Picture Hangers



Description

The 3M CLAW™ Drywall Picture Hanger is proven to hold 7, 11, 20, and 30 kg in drywall. Engineered hardened steel claws lock securely into drywall anywhere. The product is tool free and does not require studs. Suggested to hang products with a low profile such as heavyweight mirrors, frames, and home décor.

Model	7kg	11kg	20kg	30kg
Overall Height (mm)	23.1	31.5	40.6	50.8
Overall Width (mm)	22.9	26.9	27.9	30.7
Overall Depth (mm)	15.7	13.7	14.5	15.0
Nose depth (mm)	4.8	4.8	5.6	5.3
Prong depth (mm)	8.9	11.4	11.4	11.4
Nose opening (mm)	4.1	3.6	4.1	4.6
Weight (g)	3.04	6.45	12.10	11.03
Thickness (mm)	0.8	1.2	1.5	1.1 / 0.8
Material	Stainless steel	Stainless steel	Stainless steel	Stainless steel



A = Nose depth

B = Nose Opening

C = Prong depth

3M Construction & Home Improvement Markets

Product Information Sheet

Product claims

- PROVEN TO HOLD – holds up to 7/11/20/30 kg on drywall
- NO STUDS REQUIRED – hang anywhere on drywall
- NO TOOLS – just push with thumbs
- NO REGRETS – No big holes left in your walls
- Designed for heavy weight mirrors, frame and home decor
- Made of hardened steel

Notes

- Testing performed in 12.7mm drywall
- Humidity testing performed in 50% relative humidity and 22°C
- Hanger must be installed completely flush to wall to reach weight performance
- No for use on plaster
- No regrets compare hole remaining in wall between the 3M CLAW™ Drywall Picture Hanger to hole left from wall anchor

Instruction for use

For 7, 11 and 20 kg hangers




3M Construction & Home Improvement Markets


Product Information Sheet

Caution ! Hanger is sharp, handle with care. Failure to follow instructions may cause damage or injury. Do not hang valuable items or where injury may occur if item fell, such as over beds. Hanger tested in 12,7 mm drywall at 50% relative humidity 22degrees C. In more humid conditions, do not exceed 18 kg because drywall may fail. Weight ratings are not cumulative. Use in drywall only.

For 30 kg



The 4 hangers can work with following hardware.



3M Construction & Home Improvement Markets

Product Information Sheet

3M and Claw are trademarks of 3M Company.

IMPORTANT NOTICE: All statements, technical information and recommendations herein are based on tests and studies 3M believes to be reliable. 3M does not warrant or guarantee the accuracy or completeness of this information. Because there are many factors that can affect the use and performance of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates this product to determine whether it is fit for a particular purpose, is suitable for the user's method of application, and meets the user's performance specifications and expectations. Before any use, it is always recommended to read and follow the instructions for use and to conduct tests to validate the adequacy of the product with regard to the envisaged use. Any action or use of the product made in breach of these indications is at the risks of the user and consequently 3M cannot be held responsible for whatever negative consequences may arise out of or in connection with any breach of the given instructions and indications. Compliance with 3M instructions for use and other recommendations does not exempt the user from respecting other local applicable rules (safety rules, standards and procedures) governing the use of the concerned product in specific contexts and/or through specific means or tools.

Limitation of Liability: 3M's only obligation shall be to replace such quantity of this 3M product proved to be defective or to return the purchase price. Statements or recommendations not contained herein shall not have any force or effect unless included in an agreement signed by a 3M officer.

3M reserves the right to amend the whole or part of this document at any time, without notice.