| OUR ITEM NO. | OUR DESCRIPTION | TYPE/MODEL | Use for Indoor/Out door | [primary] SUPPLY (in V) | ADAPTER MODEL | [secondary] ADAPTER DETAILS (in V) | Nature of supply (AC/DC) | ADAPTER DETAILS (in W) | |
|-----------------|--|--------------|-------------------------------|-------------------------------|-------------------------|------------------------------------|--------------------------------|------------------------------|--|
| AX8450120 | LED LIGHTS OUTDOOR, 120 WHITE LED STRING IP44 | WK913100120C | Outdoor | 220-240V~50-60Hz | JT-EL/FC31V3.6W-H9-IP44 | 31 | AC | 3.6 | |

| TOTAL POWER CONSUMPTION (in W) | _ | TIMER FUNCTION? (Y/N) | TRY-M Yes/N | I ME | SIZE | NUMBER of BATTERIES | REMOTE CONTRO LLER? (Y/N) | IRATTERY | BATTER Y SIZE | NUMBER of BATTERI ES | BULB DETAIL S (in V) | BULB DETAIL S (in mA) | NUMBER of BULBS |
|--------------------------------------|---|-----------------------------|----------------|------|------|------------------------|------------------------------------|----------|------------------|-------------------------------|----------------------------|--------------------------------|--------------------|
| 3.6 | Υ | Υ | No | No | / | / | N | N | / | / | 3 | 15 | 120L |

| LEAD WIRE (in cm) | BULB DISTANC E (in cm) | LENGTH LIGHTED CHAIN excl. LEAD WIRE (in cm) | LENGTH LIGHTED CHAIN incl. LEAD WIRE (in cm) |
|-------------------------|------------------------------|--|--|
| 300 | 7.5 | 892.5 | 1192.5 |