



Test Report

No.: T31620260874SN

Date: NOV 15, 2016

Page 1 of 8

Text removed by K.I.

The following samples were submitted and identified on behalf of the client as:

BAMBOO TORCH

SGS Case No. : CA316202634649
Style / Item No. : SM1513
Ref. No / P.O. No. : 5717/16-01
Quantity Submitted : 9 PCS (3 STYLES)
Manufacturer : Text removed by K.I.
Supplier :
Buyer :
Country of Origin :
Country of Destination :
Sample Receiving Date : OCT 24, 2016 AND NOV 11, 2016
Test Performing Date : OCT 24 TO NOV 15, 2016

Test Requested : Please refer to the result summary.

Test Method & Results : Please refer to next page(s).

Result Summary :

Test Requested	Conclusion
BS EN 14059:2002 – Decorative Oil Lamps – Safety Requirements And Test Methods. (Test on Dark Brown sample only as per client requested)	PASS

Signed for and on behalf of
SGS Hong Kong Ltd.

Au Kam Chi, Gigi
Technical Development
Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





Test Report

No.: T31620260874SN

Date: NOV 15, 2016

Page 2 of 8

BS EN 14059:2002 – Decorative oil lamps – Safety Requirements and Test methods.

Scope : This Standard specifies requirements and test methods for oil lamps used for decorative purposes in household, in restaurants, in recreational facilities and in similar areas. The purpose of the standard is to minimize the risk of accidental poisoning of small children up to 3 years of age by limiting the accessibility of the lamp oil.

Nos. of Specimen : 3 pcs. of Dark Brown Style for testing.

Assembling : Assembled properly according to Assembly Instruction

Test Result : PASS. Details shown as following table.

Clause	Test Item	Result	Note
4.1	General Requirements	Pass	# 1
4.2	Sharp edge, corners and points test	Pass	# 1
4.3	Stability test	N/A	# 1, 2
4.4	Impact strength test	Pass	# 1
4.5	Wicker guard test	Pass	# 1
4.6	Filler cap test	Pass	# 1
4.7	Leakage test	Pass	# 1
4.8	Durability of marking test	N/A	# 1, 2
4.9	Child Appeal	Pass	# 1
6	Product information		
6.1	General information	Pass	# 1, 3
6.2	Purchase information	Pass	# 1, 3
6.3	Instruction for use	Pass	# 1, 3
6.4	Marking, labelling and packaging	Pass	# 1, 3

To be cont'd...

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: T31620260874SN

Date: NOV 15, 2016

Page 3 of 8

BS EN 14059:2002 – Decorative oil lamps – Safety Requirements and Test methods. (Cont'd)

Note	: #1	Clause	Test Procedure
		4.1	This oil lamp shall be constructed of material suitable for the purpose, able to withstand the thermal, chemical and mechanical stresses which may be reasonably foreseen that the product will encounter in storage and use.
		4.2	Check to see whether sharp edges, corners and points exist by touching with the fingertips.
		4.3	Filled and place the specimen on a sloping platform inclined at an angle of 20° to the horizontal. The specimen shall not be overturning. Repeat the above test with an empty.
		4.4	Place the specimen on Impact strength tester. Ensure that the supporting fixture touches the specimen at a position exactly opposite the point of the hammer impact. Adjust the center of the hammer in resting position touches at half height of the specimen. Lift the hammer so that the angular displacement of the pendulum from the vertical is 60° and then release. Repeat above test from three further positions evenly distributed over the full circumference of the specimen. The specimen shall not have any breaks, cracks or leakages.
		4.5	Place a glass plate of mass of 100g on the wick guard. Apply a force of 50N vertically down on the wick guard and maintain the force for 3 mins. Move the test probe from any direction towards the wick unless it is obvious that the test probe cannot touch the wick for dimensional reasons. The specimen shall not have any breakage, cracks, detaches and test probe should not touches the wick.
		4.6	Open and reclose the filler cap 10 times. Apply a force of 30N vertically down on the filler cap, and then apply torque of 0.5Nm in the clockwise or anti-clockwise direction. The cap shall not open.
		4.7	Hold the specimen in vertical position. Turn the specimen 90° and maintain for 10s. and then turn the specimen to 135° & 180° in total and maintain 10s for each. No any liquid leaks from the oil lamp paying due attention to the filler cap and the immediate surrounding area.
		4.8	Rubbing the marking by hand for 15s with a piece of cotton fabric soaked with water, aqueous solution, paraffin oil. The marking shall be clearly legible after the treatment.
		4.9	The oil lamp shall not in any way resemble or incorporate any object commonly recognised as appealing to or intended for use by children younger than 36 months of age. This included, but is not limited to, toys, cartoon characters, animals, plant materials, food, or food and beverage containers.

To be cont'd...

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: T31620260874SN

Date: NOV 15, 2016

Page 4 of 8

BS EN 14059:2002 – Decorative oil lamps – Safety Requirements and Test methods. (Cont'd)

Note	#1	Clause	Test Procedure
		6	Product information:
		6.1	Product information shall be provided to reduce possible consequences of foreseeable hazards connected with the use of the oil lamp. It shall be indicated that the product information should be carefully read before use and kept for further reference. The information shall be presented in the official language of the intended country of sale.
		6.2	The following warnings shall be provided at the point of sale and shall also be provided on the oil lamp or a leaflet affixed to the oil lamp. It shall be clearly visible and legible. a) WARNING: In the case of small children, just a sip of lamp oil – or even sucking the wick – may lead to life-threatening lung damage. b) WARNING: If lamp oil is swallowed, do not induce vomiting. Seek medical advice immediately or contact a poison information centre and show these warnings.
		6.3	The instructions for use shall contain the following: a) a functional description of the lamp; b) instruction regarding the type and adjustment of the wick, including the recommended functional height of the wick; c) instructions regarding the recommended fuel; d) instructions regarding the refilling of the oil lamp container, including a description of the opening mechanism and the filling amount. e) Instructions on maintenance, in particular on care of the wick, together with a correct description of the wick type appropriate to the oil lamp in question; f) WARNING: Keep this oil lamp out of the reach of children both in use and when stored.
		6.4	The marking shall contain at least the following: a) the name, address and telephone number of the manufacturer, importer or the organisation responsible for its sale; b) the number and date of this European Standard.
#2		N/A means not applicable due to sample feature.	
#3		Only English version Warning and instruction was reviewed in this report.	

To be cont'd...

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Photo Appendix



To be cont'd...

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Photo Appendix



Hangtag package & Label on product

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.: T31620260874SN

Date: NOV 15, 2016

Page 7 of 8

Photo Appendix

BAMBOO TORCH WITH SAFETY BURNER

The child-safe bamboo torch
Attention! Please observe the rear side!

Standardised safety burner produced according to DIN EN 14059:2002.
Instructions for use:

Prior to use, read the manual carefully and keep for later use.

Insert the bamboo torch vertically into the ground and secure it against tipping over. Unscrew the safety burner including wick from the oil container by simultaneously pressing and turning it counter-clockwise (fig. 1). Fill the oil container preferably 3/4 full with Petroleum. Dip the wick in the filled oil container (fig. 2). Screw the safety burner onto the oil container by simultaneously pressing and turning it clockwise (fig. 3). Attention! The wick tip may extend maximum 1 cm out of the wick guide (fig. 4). Only ignite if Petroleum has been absorbed to the tip of the wick. Set the wick so that the flame burns free of soot; regulate it as required. Prior to regulation, allow the safety burner to cool down. To extinguish the flame, shortly blow on it strongly.

ATTENTION! Burning hazard. The safety burner can become very hot during use. Only unscrew the safety burner when it is cold. Only use outside! Do not leave unattended after ignition.

ATTENTION! Please observe the danger and safety instructions of the lamp oil you are using. After filling the container, ensure the correct position of the seal and check the seal and the sealing surfaces of the container for damage. In case of damage to the surface and/or the seal, only use the bamboo torch again after the damaged parts have been replaced with original parts.

WARNING: Just one drink of lamp oil or sucking on the wick can result in life-threatening lung damage to small children.

WARNING: In case lamp oil is swallowed, do not induce vomiting.
Get medical attention immediately or contact a poison information centre and provide these warning instructions.

WARNING: The bamboo torch must be kept out of the reach of children during operation and storage.

Replacement wick type no. ® lamp wick 8 mm round x 30 cm

Type no. 2326
Height: approx. 125 cm

Artwork packaging provided by client on Nov 11, 2016

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Photo Appendix

Oil lamp instructions

Please read carefully the following instructions and keep them for further reference:

- Only use approved liquid paraffin oil for lamp. Never use gasoline or another fuel oil.
- Never fill the tank which has already contained petrol or methanol.
- Keep this oil lamp out of reach of children and pets.
- Designed for indoor and outdoor use.
- Keep the flame out of flammable objects such as fabrics.
- Oil can spill if the lamp falls.
- Do not leave a burning lamp unattended.
- Do not move the lamp while it is burning or still hot.
- Do not leave any object near the flame.
- Put the lamp on a flat and heat-resistant surface.
- Empty the oil before getting rid of the lamp.

Warning

- In the case of small children, just a sip of lamp oil or even sucking the wick may lead to life-threatening lung damage.
- If lamp oil is swallowed, do not induce vomiting. Seek medical advice immediately or contact a poison information centre and show these warnings.
- Keep this oil lamp out of reach of children when burning and even after using.

How filling the lamp

- Do not fill the lamp when it is burning.
- Do not fill the lamp near a flame without protection.
- In order to fill the lamp, unscrew the cover lid.
- Fill the tank with lamp paraffin oil using a funnel. Do not fill more than 3/4 of the container.
- Be careful, do not spill the oil. If it happens, dry it with a cloth before lighting the wick.
- Be sure there is no water in the lamp container.
- Let the wick of about 2mm above the holder.

How lighting the lamp

- Allow the wick to be impregnated during 5 to 7 minutes before lighting the wick.
- Remove the metal cap and light the wick with a long match.
- Adjusting the flame. The flame must not exceed 2 or 3 cm.
- If the lamp is burning with a too big flame or produce a lot of fume, extinguish the lamp, cut the loose wick filaments and reduce the length of the wick before lighting the flame again.

How extinguishing the lamp

- Put the metal cap on the burner to extinguish the flame.
- Do not extinguish the boiling oil with water.

Artwork instruction provided by client

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.